

Analysis Report ID: ZS0725

Data provided by a customer	
Applicant:	PR. ZA PROIZ. TRG. I USLUGE GODINA DOO BELGRADE (OLD TOWN), Kraljice Natalije 45, Belgrade, e-mail: prodaja@godina.rs
Sample received by:	Applicant
Request no:	No number, dated on 07.07.2023
Samples:	PAPER GOODS
Required tests:	Physico-chemical and microbiological analysis
Importer:	-
Shipping:	-
Manufacturer:	GODINA d.o.o, Belgrade
Supplier:	Applicant
Specified quantity:	-
Storehouse:	-


Laboratorial data	
Sample receipt date:	07.07.2023
Analysis started on:	07.07.2023
Analysis ended on:	17.07.2023
Date of Analysis Report:	17.07.2023
Location of the performance of laboratory activities:	MP Lab – Laboratory for analysis, Prokupačka 41, Belgrade, Serbia
Sample identification number	From ZS072501 to ZS072507

Results of analysis

NAME FROM THE REQUEST FOR ANALYSIS	PAPER TOWELS IN ROLLS 100% CELLULOSE, MANUFACTURER: GUC-350/8, GUC-400/8, GUC-600/8, GUC-800/6, GUC-1200/6, GUC-180M/6, GUC130M/6, GUC-90M/6, GAT-150/6, GAT-130/6, GAC-200/6, GAC-150/6, GAC-130/6, GAC-100/6, GUC-50/6, GUC-80/6, GUC-1000/1, GA1-150/6, GA1-180/6, GA1-250/6	ID: ZS072501		
SAMPLE IDENTIFICATION		Applied test method		
TYPE OF SAMPLE:	Subject to contact with skin and mucous membranes	DM 234/*		
PACKAGING:	Non – original packaging without declaration Product name: Paper towels in rolls Identification number: / Manufacturer: / Country of origin: / Lot: /			
SENSORY PROPERTIES:	Appearance: paper towels in rolls, 2 – layered, soft, slightly embossed Color: white color Odor: odorless			
PHYSICO-CHEMICAL ANALYSIS – QUALITY PARAMETERS AND OTHER PARAMETERS				
Analysed parameters	Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method
pH – value (water extract)	-	6,9	-	DM 255/*

The result of analysis refers only to the analysed sample.

The report may not be reproduced in part.



Prokupačka 41, 11000 Belgrade, Serbia | website: www.ihtm.rs | mail: office@ihtm.rs | MB: 17486985 PIB: 102930892 | Phone: +381 11 2648-148

FIZIČKO-HEMIJSKI PARAMETRI – SADRŽAJ ŠTETNIH MATERIJA					
Analysed parameters		Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method
Migration of heavy metals in model solution deyanized water 37±1°C, 24h	Pb	mg/kg	<2,5	-	DM 241/*
	Cd		<0,3	-	
	Ni		<1,0	-	
	As		<0,01	-	DM 242/*
	Hg		<0,05	-	

MICROBIOLOGICAL ANALYSIS				
Analysed parameters	Unit of measurement	Measured value	Reference value	Applied test method
Detection of coagulase positive staphylococci	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/2
Detection of <i>Proteus species</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/5
Detection of <i>Escherichia coli</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/4
Detection of <i>Pseudomonas aeruginosa</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/3
Number of mesophilic aerobic bacteria	cfu/g	<10	-	Rulebook ³⁾ method GII/1
Total number of yeasts and mold spores	cfu/g	<10	-	

NAME FROM THE REQUEST FOR ANALYSIS	PAPER TOWELS IN ROLLS – ECO, MANUFACTURER: GUI-500/6, GUI-1200/6, GAI-145/6, GAI-130/6	ID: ZS072502
SAMPLE IDENTIFICATION		Applied test method
TYPE OF SAMPLE:	Subject to contact with skin and mucous membranes	
PACKAGING:	Non – original packaging without declaration Product name: Paper towels in rolls Identification number: / Manufacturer: / Country of origin: / Lot: /	
SENSORY PROPERTIES:	Appearance: paper towels in rolls, 2 – layered, soft, slightly embossed Color: beige color Odor: odorless	


PHYSICO-CHEMICAL ANALYSIS – QUALITY PARAMETERS AND OTHER PARAMETERS				
Analysed parameters	Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method
pH – value (water extract)	-	7,1	-	DM 255/*

FIZIČKO-HEMIJSKI PARAMETRI – SADRŽAJ ŠTETNIH MATERIJA					
Analysed parameters		Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method
Migration of heavy metals in model solution deyanized water 37±1°C, 24h	Pb	mg/kg	<2,5	-	DM 241/*
	Cd		<0,3	-	
	Ni		<1,0	-	
	As		<0,01	-	DM 242/*
	Hg		<0,05	-	

MICROBIOLOGICAL ANALYSIS				
Analysed parameters	Unit of measurement	Measured value	Reference value	Applied test method
Detection of coagulase positive staphylococci	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/2
Detection of <i>Proteus species</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/5
Detection of <i>Escherichia coli</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/4
Detection of <i>Pseudomonas aeruginosa</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/3
Number of mesophilic aerobic bacteria	cfu/g	<10	-	Rulebook ³⁾ method GII/1
Total number of yeasts and mold spores	cfu/g	<10	-	

The result of analysis refers only to the analysed sample.

The report may not be reproduced in part.




NAME FROM THE REQUEST FOR ANALYSIS	PAPER TOWELS IN ROLLS – BLUE, MANUFACTURER: GUP-1300/6, GUP-2500/1, GUP-4000/1, GUP-6000/1, GAP-145/6, GAP-130-6, GUP-50/6, WUR5899800773				ID: ZS072503
SAMPLE IDENTIFICATION					Applied test method
TYPE OF SAMPLE:	Subject to contact with skin and mucous membranes				DM 234/*
PACKAGING:	Non – original packaging without declaration Product name: Paper towels in rolls Identification number: / Manufacturer: / Country of origin: / Lot: /				
SENSORY PROPERTIES:	Appearance: paper towels in rolls, 2 – layered, soft, slightly embossed Color: blue color Odor: odorless				
PHYSICO-CHEMICAL ANALYSIS – QUALITY PARAMETERS AND OTHER PARAMETERS					
Analysed parameters	Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method	
pH – value (water extract)	-	7,2	-	DM 255/*	
FIZIČKO-HEMIJSKI PARAMETRI – SADRŽAJ ŠTETNIH MATERIJIA					
Analysed parameters	Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method	
Migration of heavy metals in model solution deyanized water 37±1°C, 24h	Pb	mg/kg	<2,5	-	DM 241/*
	Cd		<0,3	-	
	Ni		<1,0	-	DM 242/*
	As		<0,01	-	
	Hg		<0,05	-	
MICROBIOLOGICAL ANALYSIS					
Analysed parameters	Unit of measurement	Measured value	Reference value	Applied test method	
Detection of coagulase positive staphylococci	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/2	
Detection of <i>Proteus species</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/5	
Detection of <i>Escherichia coli</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/4	
Detection of <i>Pseudomonas aeruginosa</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/3	
Number of mesophilic aerobic bacteria	cfu/g	<10	-	Rulebook ³⁾ method GII/1	
Total number of yeasts and mold spores	cfu/g	<10	-		
NAME FROM THE REQUEST FOR ANALYSIS	TOILET PAPER IN ROLLS - 100% CELLULOSE, MANUFACTURER: GTC-100M/12, GTC-150M/12, GTC-180M/12, GCP-90M/12, GCP-130/12				ID: ZS072504
SAMPLE IDENTIFICATION					Applied test method
TYPE OF SAMPLE:	Subject to contact with skin and mucous membranes				DM 234/*
PACKAGING:	Non – original packaging without declaration Product name: Paper towels in rolls Identification number: / Manufacturer: / Country of origin: / Lot: /				
SENSORY PROPERTIES:	Appearance: paper towels in rolls, 2 – layered, soft, slightly embossed Color: white color Odor: odorless				
PHYSICO-CHEMICAL ANALYSIS – QUALITY PARAMETERS AND OTHER PARAMETERS					
Analysed parameters	Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method	
pH – value (water extract)	-	7,0	-	DM 255/*	

The result of analysis refers only to the analysed sample.

The report may not be reproduced in part.

Laboratory is responsible for the confidentiality and for the management of information according to requirements of SRPS ISO/IEC 17025:2017 for all information obtained or created during the performance of laboratory activities



FIZIČKO-HEMIJSKI PARAMETRI – SADRŽAJ ŠTETNIH MATERIJIA					
Analysed parameters		Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method
Migration of heavy metals in model solution deyanized water 37±1°C, 24h	Pb	mg/kg	<2,5	-	DM 241/*
	Cd		<0,3	-	
	Ni		<1,0	-	
	As		<0,01	-	DM 242/*
	Hg		<0,05	-	

MICROBIOLOGICAL ANALYSIS				
Analysed parameters	Unit of measurement	Measured value	Reference value	Applied test method
Detection of coagulase positive staphylococci	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/2
Detection of <i>Proteus species</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/5
Detection of <i>Escherichia coli</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/4
Detection of <i>Pseudomonas aeruginosa</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/3
Number of mesophilic aerobic bacteria	cfu/g	<10	-	Rulebook ³⁾ method GII/1
Total number of yeasts and mold spores	cfu/g	<10	-	

NAME FROM THE REQUEST FOR ANALYSIS	FOLDABEL PAPER TOWEL - 100% CELLULOSE, MANUFACTURER: GUE-150/20B, GUE-150/20, GUE-150K/20B, GUE-150K/20, GUE-180/20B, GUE180/20, GUE-180K/20B, GUE- 180K/20, GUE-200/20B, GUE-200/20, GUE-200K/20B, GUE- 200K/20, GUC-150/20B, GUC-150/20, GUC-150K/20, GUC- 180/20B, GUC-180/20, GUC-180K/20B, GUC-180K/20, GUC- 200/20B, GUC-200/20, GUC-200K/20B, GUC-200K/20, GUC- 250/20B, GUC-250/20, GUC-250K/20B, GUC250K/20, GU1-150/20, GU1-150K/20, GU1/180/20, GU1-180K/20, GU1-200/20, GU1- 200K/20, GSC-200/20	ID: ZS072505
------------------------------------	---	--------------


SAMPLE IDENTIFICATION		Applied test method
TYPE OF SAMPLE:	Subject to contact with skin and mucous membranes	DM 234/*
PACKAGING:	Non – original packaging without declaration Product name: Foldabel paper towel Identification number: / Manufacturer: / Country of origin: / Lot: /	
SENSORY PROPERTIES:	Appearance: paper towels in rolls, 2 – layered, soft, slightly embossed Color: white color Odor: odorless	

PHYSICO-CHEMICAL ANALYSIS – QUALITY PARAMETERS AND OTHER PARAMETERS				
Analysed parameters	Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method
pH – value (water extract)	-	7,1	-	DM 255/*

FIZIČKO-HEMIJSKI PARAMETRI – SADRŽAJ ŠTETNIH MATERIJIA					
Analysed parameters		Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method
Migration of heavy metals in model solution deyanized water 37±1°C, 24h	Pb	mg/kg	<2,5	-	DM 241/*
	Cd		<0,3	-	
	Ni		<1,0	-	
	As		<0,01	-	DM 242/*
	Hg		<0,05	-	

The result of analysis refers only to the analysed sample.

The report may not be reproduced in part.




MICROBIOLOGICAL ANALYSIS				
Analysed parameters	Unit of measurement	Measured value	Reference value	Applied test method
Detection of coagulase positive staphylococci	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/2
Detection of <i>Proteus species</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/5
Detection of <i>Escherichia coli</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/4
Detection of <i>Pseudomonas aeruginosa</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/3
Number of mesophilic aerobic bacteria	cfu/g	<10	-	Rulebook ³⁾ method GII/1
Total number of yeasts and mold spores	cfu/g	<10	-	Rulebook ³⁾ method GII/1

NAME FROM THE REQUEST FOR ANALYSIS	FOLDABEL PAPER TOWEL – ECO, MANUFACTURER: GUI-150/20B, GUI-150/20, GUI-150K/20, GUI-150K/20B, GUI-180/20B, GUI-180/20, GUI-180K/20, GUI-180K/20B, GUI-180/20B, GUI-200/20B, GUI-200/20, GUI-200K/20, GSI-200/20	ID: ZS072506
SAMPLE IDENTIFICATION		Applied test method
TYPE OF SAMPLE:	Subject to contact with skin and mucous membranes	
PACKAGING:	Non – original packaging without declaration Product name: Foldabel paper towel eco Identification number: / Manufacturer: / Country of origin: / Lot: /	
SENSORY PROPERTIES:	Appearance: paper towels in rolls, 2 – layered, soft, slightly embossed Color: beige color Odor: odorless	

PHYSICO-CHEMICAL ANALYSIS – QUALITY PARAMETERS AND OTHER PARAMETERS				
Analysed parameters	Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method
pH – value (water extract)	-	7,2	-	DM 255/*

FIZIČKO-HEMIJSKI PARAMETRI – SADRŽAJ ŠTETNIH MATERIJA				
Analysed parameters	Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method
Migration of heavy metals in model solution deyanized water 37±1°C, 24h	Pb	<2,5	-	DM 241/*
	Cd	<0,3	-	
	Ni	<1,0	-	
	As	<0,01	-	DM 242/*
	Hg	<0,05	-	

MICROBIOLOGICAL ANALYSIS				
Analysed parameters	Unit of measurement	Measured value	Reference value	Applied test method
Detection of coagulase positive staphylococci	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/2
Detection of <i>Proteus species</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/5
Detection of <i>Escherichia coli</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/4
Detection of <i>Pseudomonas aeruginosa</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/3
Number of mesophilic aerobic bacteria	cfu/g	<10	-	Rulebook ³⁾ method GII/1
Total number of yeasts and mold spores	cfu/g	<10	-	Rulebook ³⁾ method GII/1



NAME FROM THE REQUEST FOR ANALYSIS		FOLDABEL TOILET TOWEL - 100% CELLULOSE, MANUFACTURER: GTC-150/20, GTC-150/30, GTC-150/40, GTC-150/40B, GTC-180/20, GTC-180/30, GTC-180/40, GTC-180/40B, GTC-200/20, GTC-200/30, GTC-200/40, GTC-200/40, GTC-200/40B, GTC-225/20, GTC-225/30, GTC-225/40, GTC-225/40B, GTC-250/20, GTC-250/30, GTC-250/40, GTC-250/40B			ID: ZS072507
SAMPLE IDENTIFICATION					Applied test method
TYPE OF SAMPLE:	Subject to contact with skin and mucous membranes				DM 234/*
PACKAGING:	Non – original packaging without declaration Product name: Foldabel paper towel Identification number: / Manufacturer: / Country of origin: / Lot: /				
SENSORY PROPERTIES:	Appearance: paper towels in rolls, 2 – layered, soft, slightly embossed Color: white color Odor: odorless				
PHYSICO-CHEMICAL ANALYSIS – QUALITY PARAMETERS AND OTHER PARAMETERS					
Analysed parameters	Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method	
pH – value (water extract)	-	7,0	-	DM 255/*	
FIZIČKO-HEMIJSKI PARAMETRI – SADRŽAJ ŠTETNIH MATERIJA					
Analysed parameters	Unit of measurement	Measured value/ *(MU)	Reference value	Applied test method	
Migration of heavy metals in model solution deyanized water 37±1°C, 24h	Pb	mg/kg	<2,5	-	DM 241/*
	Cd		<0,3	-	
	Ni		<1,0	-	DM 242/*
	As		<0,01	-	
	Hg		<0,05	-	
MICROBIOLOGICAL ANALYSIS					
Analysed parameters	Unit of measurement	Measured value	Reference value	Applied test method	
Detection of coagulase positive staphylococci	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/2	
Detection of <i>Proteus species</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/5	
Detection of <i>Escherichia coli</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/4	
Detection of <i>Pseudomonas aeruginosa</i>	-	Absent/ 0,1 g	-	Rulebook ³⁾ method GII/3	
Number of mesophilic aerobic bacteria	cfu/g	<10	-	Rulebook ³⁾ method GII/1	
Total number of yeasts and mold spores	cfu/g	<10	-		

LEGEND OF THE ANALYSIS REPORT

/* Indicates that method is not in the scope of accreditation

*(MN) – the measurement uncertainty; Note: Laboratory is reporting the measurement uncertainty in the same unit as that of the measurand only in cases stated in SRPS EN ISO 17025:2017, chapter 7.8.3.1. c)

Head of Physicochemical Laboratory

Bisa Amidžić, Grad. Eng.



Head of Microbiological laboratory

On behalf of: Dragica Đurđević-Milošević, PhD, Grad. Eng Specialist of food microbiology

End of analysis report

The result of analysis refers only to the analysed sample.

The report may not be reproduced in part.

Laboratory is responsible for the confidentiality and for the management of information according to requirements of SRPS ISO/IEC 17025:2017 for all information obtained or created during the performance of laboratory activities